HENDRY

HENDRY GROUP (NSW) PTY LTD trading as HENDRY GROUP (ACT)

Building Surveying Consultants ABN 45 007 139 201 Level 6, 39 London Circuit Canberra ACT 2601

Tel: (02) 6269 5984 Fax: (02) 8245 2399

hendryact@hendry.com.au www.hendry.com.au

14 July 2014

ATT: Tim Brake ACTEW Water GPO Box 366 CANBERRA ACT 2601

Dear Tim

Please find enclosed Occupation Certificate for a pump Station at Googong issued in accordance with Part 3A approval MP 08_0236 issued by The Department of Planning & Infrastructure dated 24/11/2011 and Construction Certificate 001/2013 issued by The Hendry Group (ACT) Pty Ltd.

This Occupation Certificate was issued by Jessica McDonald BPB2159 on 14 July 2014.

Should you have any questions or queries regarding your Occupation Certificate please contact the undersigned.

Yours faithfully

Jessica McDonald Building Surveyor

Hendry Group (NSW) Pty Ltd

madred 91

14 July 2014

ATT: Tim Brake ACTEW Water GPO Box 366 CANBERRA ACT 2601

Dear Tim

Please find enclosed Occupation Certificate for a pump Station at Googong issued in accordance with Part 3A approval MP 08_0236 issued by The Department of Planning & Infrastructure dated 24/11/2011 and Construction Certificate 001/2013 issued by The Hendry Group (ACT) Pty Ltd.

HENDRY

HENDRY GROUP (NSW) PTY LTD trading as **HENDRY GROUP (ACT)**

Building Surveying Consultants
ABN 45 007 139 291

Level 6, 39 London Circuit Canberra ACT 2601

Tel: (02) 6269 5984 Fax: (02) 8245 2399

hendryact@hendry.com.au www.hendry.com.au

HGNSW_1A_Certificates_General_Occ Cert (Final)

Final Occupation Certificate

This certificate is issued by a certifying authority (a Council or a Private Certifier) and allows the applicant to occupy or use the building or part of the building as set out in the Certificate.

Reference

DA or CDC No. MP 08, 0236

CC No. 001/2013

1. Details of the Applicant

Name of Applicant:

ACTEW Corporation Limited

Address:

40 Bunda Street

CANBERRA ACT 2601

Phone No.

02 6242 1124

2. Details of the Building

Address:

Googong Dam Road GOOGONG NSW 2620

	Lot No, DP/MPS etc	7/592796	Vol/Folio	
Description of the building or part of the building	Construction	of pump station.		
Development Applicati Complying Developme		MP 08_0236		

3. Decision of the Certifying Authority

	Type of Certificate issued:
	An Interim Occupation Certificate
	✓ A Final Occupation Certificate
	Date of this decision
Re	ference

DA or CDC No. MP 08_0236

CC No. 001/2013

1. Details of the Applicant

Name of Applicant:

ACTEW Corporation Limited

Address:

40 Bunda Street

CANBERRA ACT 2601

Phone No. 02 6242 1124

2. Details of the Building

Address:

Googong Dam Road COOCONG NSW 2620

5. Final Occupation Cert	ificate
I certify that: a current Development Co	nsent has been granted for the development
	lopment Certificate has been issued for the development
the building	tificate has been issued with respect to the plans and specifications for
the building/building part is under the Building Code or	suitable for occupation or use in accordance with its classification f Australia as a Class 10a building
✓ a final Fire Safety Certifica	te has been issued for the building
a final report from the Com	nmissioner of Fire Brigades has been considered
Occupation Certificate No. 001/2014	
Date of the Certificate	
14 July 2014	
Signature	
•	t be signed by the Certifying Authority
Signed: meda	ed.
Certifying Authority	
Jessica McDonald Hendry Group (NSW) Pty Ltd Level 6, 39 London Circuit CANBERRA ACT 2601	
Phone: 02 6269 5984	
Fax: 02 8245 2399	
Accreditation No.:	BPB2159
Accreditation Body:	Building Professionals Board
Note under the Building Code of	Australia as a Class 10a building
a final Fire Safety Certificat	te has been issued for the building
a final report from the Com	missioner of Fire Brigades has been considered
Occupation Certificate No. 001/2014 Date of the Certificate	

14 July 2014

Summary of Submitted Documents

- Final Fire Safety Certificate Application for Occupation Certificate
- Certificate of Compliance Automatic Fire Detection & Occupant warning system
- Certificate of compliance Fire extinguishers
- · Certificate of Electrical safety

Googong Pump Station

Googong Dam Road, Googong

Inspection Schedule as Per Environmental Planning & Assessment Regulation 162B

Inspection	BPB#	Name	Status
Slab 24/10/2013	BPB2159	Jessica McDonald	Approved
Core filled walls 27/11/2013	BPB2159	Jessica McDonald	Approved
Core Filled walls 30/11/2013	BPB2159	Jessica McDonald	Approved
Part Roof Slab 31/01/2014	BPB2159	Jessica McDonald	Approved
Part Roof Slab 11/02/2014	BPB2159	Jessica McDonald	Approved
Final Inspection 28/05/2014	BPB2159	Jessica McDonald	Approved

Slab 24/10/2013	BPB2159	Jessica McDonald	Approved
Core filled walls	BPB2159	Jessica McDonald	Approved
27/11/2013			
Core Filled walls	BPB2159	Jessica McDonald	Approved
30/11/2013			
Part Roof Slab	BPB2159	Jessica McDonald	Approved
31/01/2014			
Part Roof Slab	BPB2159	Jessica McDonald	Approved
11/02/2014			
Final Inspection	BPB2159	Jessica McDonald	Approved
28/05/2014			

SCHEDULE OF ALTERED FIRE SAFETY MEASURES

Construction of a pump station, Googong Dam Rd, Googong Construction Certificate No. 001/2013

Fire Safety Schedule							
ITEM	Existing	Fire Safety Measures	Altered Measures (BCA 2012 / Standard) Level of Performance				
1	REQUIRED ESSENTIAL FIRE OR OTHER SAFETY MEASURE	Minimum standard of performance, i.e. BCA 1996 clause and/ or Australian Standard to be achieved.					
1.	Automatic fire detection and alarm system	BCA Clause E2.2a, Spec G3.8 & AS1670.1- 1995, AS1668.1-1998 for operation of smoke dampers in air handling ducts.	BCA Clause E2.2a, BCA Specification E2.2a AS 1670.1 – 1995 and AS/NZS 1668.1 – 1998				
2.	Exit Signs	BCA Clauses E4.5, E4.6 & E4.8, AS/NZS2293.1-1998					
3.	Portable Fire Extinguishers	BCA Clause E1.6, AS2444-1995	BCA Clause E1.6 AS 2444-1995				

Notes: 1. The altered fire safety measures are the measures to be installed or altered in the building as part of the building works.

2. The existing fire safety measures and their standard of performance have been taken from the Fire Safety Schedule issued with the Final Occupation Certificate dated 14/07/2014 for the building.

1.	Automatic fire detection and alarm system	BCA Clause E2.2a, Spec G3.8 & AS1670.1-1995, AS1668.1-1998 for operation of smoke dampers in air handling ducts.	BCA Clause E2.2a, BCA Specification E2.2a AS 1670.1 – 1995 and AS/NZS 1668.1 – 1998
2.	Exit Signs	BCA Clauses E4.5, E4.6 & E4.8, AS/NZS2293.1-1998	
3.	Portable Fire Extinguishers	BCA Clause E1.6, AS2444-1995	BCA Clause E1.6 AS 2444-1995

Notes: 1. The altered fire safety measures are the measures to be installed or altered in the building as part of the building works.

2. The existing fire safety measures and their standard of performance have been taken from the Fire Safety Schedule issued with the Final Occupation Certificate dated 14/07/2014 for the building.

Final/Interim Fire Safety Certificate

Environmental Planning and Assessment Amendment Regulation 2000

Under the <i>Envir</i>		Safety Certificate t Regulation 2000 – Division 4, Clauses	170 and 173
Type of Certificate	See Note 1	Interim Final Certifica	ile
Owner's Details (print)			
Name DAL	E HITKS		
,		BUNDA ST. TANBERA	CA ATT 2600
	•		
	·	TION LIMITED.	
(Certify that:	TION ENTIRE.	
i	a) each of the essential fire safe	tv measures listed below:	
See Note 2 – Assessment		erson (chosen by me) who was properly o	ualified to do so, and
Requirements. See Note 3 – Current Fire	 was found, when it was as 	sessed, to have been properly implement	ted and to be capable of
Safety Schedule.		I not less than that required by the m , for the building for which the certificate is	
		is certificate is, to the best of my knowled	
Identification of Building		•	
House/Unit No. &/or Name:	GOOGONG PUMP STAT	TION	
Suburb:	<u> Боо БО Б</u>	•	
Nearest Cross Street		Building Use, Flats/Shop etc: Pu	mp Station
	WHOLE		p otacon
Whole or Part (of building)?	WHOLE	(where applicable)	
Essential/Critical Fire Safet	y Measures See Note 3 - Curre	ent Fire Safety Schedule.	
M	easure/item	Standard of Performance	Assessment Date See Note 4
	tion & occupant Warning System	AS 1670.1, BCA Specification E2.2a	22 May 2014
Fire extinguishers		AS 2444 (2001), BCA Clause E1.6	22 May 2014
Exit Lighting		AS 2293.1, BCA Clause E4.5, E4.6 & E4.8	13 May 2014
			gadaininga ya garaayy ah mayaamaa maaqaa maa ah a
Owner's Details (print)			
Name DALL	HITKS		
•	-	BUNDA ST. TANBERK	A ATT 2600
	•		
	. DALE HICKS	71011 1111774	
O	ATTEW TORPORA	TION LIMITED.	
;	Certify that:		

See Note 2 – Assessment Requirements.

See Note 3 - Current Fire Safety Schedule.

- each of the essential fire safety measures listed below:
 - has been assessed by a person (chosen by me) who was properly qualified to do so, and
 - was found, when it was assessed, to have been properly implemented and to be capable of performing to a standard not less than that required by the most recent fire safety schedule (copy attached), for the building for which the certificate is issued.

Notes for completing Final/Interim Fire Safety Certificate

Note 1

An **interim fire safety certificate** is issued for part of the building and may deal only with those **essential fire safety measures** appearing on the most recent fire **safety schedule** (see note 3) relevant to the part of the building for which an interim occupation certificate will be sought.

A final fire safety certificate is required:

- before a final occupation certificate can be issued to allow a new building (including an altered portion of, or extension to a new building) to be occupied or used, or
- before a final occupation certificate can be issued to allow a change of building use for an existing building, or
- in accordance with a fire safety order given by a council.

A final fire safety certificate must deal with all essential fire safety measures appearing on the most recent fire safety schedule (see note 3), subject to the following.

An interim fire safety certificate or a final fire safety certificate need not deal with those essential fire safety measures which have been the subject of some other final fire safety certificate or annual fire safety statement within the previous 6 months, unless the person or authority responsible for determining the relevant development consent, complying development certificate, construction certificate or fire safety order, has specified otherwise in the schedule. See also note 3.

Hete 2

The person who carries out the assessment:

- · must inspect and verify the performance of each fire safety measure being assessed, and
- in the case of a (interim or final) fire safety certificate for a new building (not an alteration to, or enlargement or
 extension of an existing building) must test the operation of each item of fire safety equipment installed in the
 building.

Hote 3

The relevant essential fire safety measures are those specified in the most recent fire safety schedule, issued by the consent authority and attached to / included in one of the following:

- development consent for a change of building use,
- complying development certificate for the erection of a building or a change of building use,
- construction certificate for proposed building work, including building work associated with a change of building use, or
- a fire safety order.

The fire safety scheduls will also identify the required standard of performance for each essential fire safety measure.

A final firs safety certificate is required:

- before a final occupation certificate can be issued to allow a new building (including an altered portion of, or extension to a new building) to be occupied or used, or
- · before a final occupation certificate can be issued to allow a change of building use for an existing building, or
- in accordance with a fire safety order given by a council.

A final fire safety certificate must deal with all essential fire safety measures appearing on the most recent fire safety schedule (see note 3), subject to the following.

An interim fire safety certificate or a final fire safety certificate need not deal with those essential fire safety measures which have been the subject of some other final fire safety certificate or annual fire safety statement within the previous 6 months, unless the person or authority responsible for determining the relevant development consent, complying development certificate, construction certificate or fire safety order, has specified otherwise in the schedule. See also note 3.



National Fire Solutions
ABN: 56 087 239 085
P.O. Box 1700
Quembeyan N.S.W. 2620
Pb: 1300 791 586
Fax: (02) 6299 238
E-Mail: equities/final fire, com, au

Section 2 WARRANTY DETAILS

2.1 Warranty Statement

Mateena

For

Googong Pump house May 2014

National Fire Solutions hereby state that the above-mentioned project has been completed to the best of our abilities, and to the highest level of quality. Qualified and experienced personnel have carried out all work, with an emphasis on workmanship and quality. Hence, from the date of practical completion, National Fire Solutions offer a 12 Month Warranty. National Fire Solutions will maintain and protect the works, and will make good all defects or other faults which appear in the works prior to the expiration of the Defects Liability Period, as per the original agreement (contract) with Construction Control.

Mateena

For

Googong Pump house May 2014

National Fire Solutions hereby state that the above-mentioned project has been completed to the best of our abilities, and to the highest level of quality. Qualified and experienced personnel have carried out all work, with an emphasis on workmanship and quality. Hence, from the date of practical completion, National Fire Solutions offer a 12 Month Warranty. National Fire Solutions will maintain and protect the works, and will make good all defects or other faults which appear in the works prior to the expiration of the Defects Liability Period, as per the original agreement (contract) with



2.2 Certificates of Compliance & Test Results

Certificates of compliance and test results are located in this section. All certificates are as per the relevant standards.

Note:

All works are carried out to the relevant standards at the time of installation however Australian Standards are subject to change without notice.

Note:

All works are carried out to the relevant standards at the time of installation however Australian Standards are subject to change without notice.



National Fire Solutions Pty Ltd ACN: 087 239 085 P.O. Box 1700 Queanbeyan N.S.W. 2620 Ph: (02) 6101 6997 Fax: (02) 6299 2288 E-Mail: enquiries@natfire.com.au

FIRE DETECTION SYSTEM TEST SHEET.

PROJECT NAME:

ALARM ZONE	DEVICE NO	DEVICE TYPE	TIME	PASS/FAIL	COMMENTS
1	Î	5 th (L *		2655	
1	2	5 mile		Pass Pass	
2	1	onvie		Pass	
2	2.	Smuke		Fass	
-: 2	3	smoke		F0.55	
2	1,	smake		Pass	
	- /	3114		1 8.22	-
	-			-	
		-			
					
					
					
L .					
			*		
			<u></u>		
					
		-			
1	1	ſ	1	1	

PROJECT NAME:

ALARM ZONE	DEVICE NO	DEVICE TYPE	TIME DELAY	PASS/FAIL	COMMENTS
1	L	5my ct		3655	
1	2	3 14 /13		12653	
_ 2	1	581422		Pass	
2	2.	Smoke		PO55	
2	3	sinuke		F0.55	
2	4	5make		Pass	



National Fire Solutions Pty Ltd ACN: 087 239 085 P.O. Box 1700 Queanbeyan N.S.W. 2620 Ph: (02) 6299 2222 Fax: (02) 6299 2288

E-Mail: enquiries@natfire.com.au

OWS SYSTEM TEST SHEET.

PROJECT NAME: Googong Pump House

ows	AMPLIFIER	SPEAKER	SOUNDER	STROBE	SOUND	COMMENTS / AREA
ZONE	RATING	SPEAKER OUTPUT	<u> </u>	OUTPUTS	LEVEL	TESTED
7	36 not				87.4	Pass
- 1	36 nat	-				1,355
j.	36 000		.Karr.		94.9	11455
						<u> </u>
					<u></u>	
					<u> </u>	
_~						
						- h-1m-
	1					

OWS SYSTEM TEST SHEET.

PROJECT NAME: Googong Pump House

OWS ZONE	AMPLIFIER RATING	SPEAKER OUTPUT	SOUNDER	STROBE OUTPUTS	SOUND LEVEL	COMMENTS / AREA TESTED
1	36 not		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		87.4	Pass
<u> </u>	36 na#				901	455
1.	36 ini		Seare.		84.9	rass
						•

CERTIFICATE OF ELECTRICAL SAFETY

Electricity Safety Act 1971 Section 6

Part Part T	at Address_arb_arb_arb_arb_arb_arb_arb_arb_arb_arb	occupance gory ne box of Worline box lation cable Load E	Residence of the second of the	Floor	Yes. If Yes, I	building promoted in the second in the secon	LV ATEVA		Repair Dus location a and child care and health care	Postcode Block	
Street Subut Is a control Part Part T Part	the Address arb	occupance gory ne box of Worl ne box lation cable Celling	Residence of the second of the	No. □	Yes. If Yes, I Yes, I Yes. If Yes, I Yes. If Yes, I	building promoted in the second secon	EUATEVA project number n Supply Temporary Supply Kternal lighting oft wiring	Section	Repair ous location and child care	Postcode Block	Swimming poor
Part Part Part T	2: Categorial Control	occupance gory ne box of Worline box liation cable Load E	Resi Resi New Normal UPS Standa Oetails QTY	No.	Yes. If Yes, I	mporary:	Supply Temporary Supply Kternal lighting	ply Hazard	Repair Dus location and child care		Swimming poor
Part Part Part T	2: Categorial Control	occupance gory ne box of Worline box liation cable Load E	Resi Resi New Normal UPS Standa Oetails QTY	No.	Yes. If Yes, I	mporary:	Supply Temporary Supply Kternal lighting	ply Hazard	Repair Dus location and child care		Swimming poor
Part Part T	3: Type lease tick of 4: Instal ick as applic 5: Work tte Ex 10A single s	of Worline box Ifation able Load E	Normal Normal UPS Standa Details QTY		☐ Tel ☐ Pel Street lights Traffic lights Public lights	mporary: manent/	Supply Temporary Sup kternal lighting oft wiring	☐ Hazard	ous location a and child care		Spa or hot tub
Part Part	4: Instal ick as applic 5: Work tte Ex 10A single s	lation cable Load Com	Normal UPS Standa Details QTY		Per	manent/ □ E □ Se	Temporary Sup kternal lighting oft wiring	☐ Hazard	ous location a and child care		Spa or hot tub
Part	5: Work te Ex 10A single s	Load E	UPS Standa Details QTY ights 4		Traffic lights Public lights	☐ Se	oft wiring	☐ Schools	and child care		Spa or hot tub
1	tte EX 10A single s	em (1') Li Celling	QTY		M						
10	EX 10A single s 10A double s	Celling	ights 4		14						
10	10A single s	Celling	· —		Item	QTY	Load KW	<i>!</i>	tem	QTY	Load KW
10	IOA double s	_	face		Hot plate	es			Street lights		
10	IOA double s	sacket-vu	10112		Wall ove	n		s	Smoke detectors		
10			tlets		Rang	je	100	Circuits for	pool equipment		
	A multiple s	socket-ou	tlets	s	torage hot wate	19			Pool heater		
		ocket-ou	tlets	Instanta	neous hot wate	gr			Spa or Hot tub		
	15A & 20A s	ockel-ou	tlets	Of	f peak hot wate	er			Sauna		
	3 phase s	ocket-ou	tlets	Electric	solar hot wate	er		_	Air conditioning		
	Others	ocket-ou	liets		Direct heatin	ng			Motors		
	I	Exhaust (fans	ď	Off poak heatin	9				Qty	Supply KV
	Sa	fety switc	ches		Fan light heate	er	12		energy supply AES)		
	ſ	Consu	imer mains _	mm	2		Maln switchboa	rdi	☐ Distribu	tlon boar	d
Main e	Main earth location Equipotential earth bond locations										
Other t	Other load details (if insufficient space please attach list) EXIT SIGNS COMPLY WITH AS 2293:1										
WORK	Part 6: Certification WORK TESTED BY Unrestricted electrician. Best Sires COLA licence No. 576965 Date tested. 13/5/14.						INSTALLED BY (Details of the electrical contractor or unrestricted electrician who installed the electrical installation covered by this CES) Name REX BARROTI WOUSTRIES FTY COLA licence No. 1495/11C				
ls e c	ertificate of o	occupanc	y required?] No. 🛮	Yes, If Yes, t	uilding p	roject number m	ust be supplie	od:		
	2: Categ		☐ Resid	ienlial	⊠ Cor	mmercial					
	Part 3: Type of Work New				_	nporary \$	Supply Temporary Supp	☐ Repair			
	Part 4: Installation Tick as applicable UPS Standalone		_ 1	☐ Traffic lights ☐ Soft		ternal lighting oft wiring olar PV	Hazardous location Schools and child care Medical and health care			Swimming pool Spa or hot tub	
Part	5: Work	Load D	etails								
	Ite	m	QTY		Item	QTY	Load KW		lem	QTY	Load KW
	Ex	rim Lig	ghts 4		Hot plate	s			Straet lights		