

Retaining Wall in Lot 451  
 Max Height : 1.0m  
 Min Height : 1.0m  
 Average Height: 1.0m

**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01, 13/02 & 15/02/2017 by ETS Engineering.

Lot 451 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue


**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 451 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A □ 451

Locality of Redbank Plains



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78** Finished Surface Design Level
- RL 38.78** Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01, 15/02/2017 & 02/03/17 by ETS Engineering.

Lot 452 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue

**saunders havill group**

Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com


■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 452 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A □ 452

Locality of Redbank Plains



LEGEND	
	Area of Cut
	Design Contours
	Zero Lot Boundary
	Proposed Retaining Wall
	Proposed Building Pad (Indicative)
38.78	Finished Surface Design Level
RL 38.78	Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 485 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue

**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 485 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 485

Locality of Redbank Plains



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 486 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue

**SH saunders havill group**

Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com


■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 486 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 486

Locality of Redbank Plains



Retaining Wall in Lot 487  
 Max Height : 2.0m  
 Min Height : 2.0m  
 Average Height: 2.0m

Retaining Wall in Lot 488  
 Max Height : 0.9m  
 Min Height : 0.9m  
 Average Height: 0.9m

**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 487 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue


**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 487 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A □ 487

Locality of Redbank Plains



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.


Lot 488 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.


Lot 489 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 490 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.




No.	by	Date	Description
A	TBG	02/03/17	Original Issue

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 490 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A □ 490



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 491 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue


**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 491 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A □ 491

Locality of Redbank Plains



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.


Lot 492 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level

**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 496 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

No.	by	Date	Description
A	TBG	02/03/17	Original Issue

**SH saunders havill group**

Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com


■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 496 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 496

Locality of Redbank Plains



LEGEND	
	Area of Cut
	Design Contours
	Zero Lot Boundary
	Proposed Retaining Wall
	Proposed Building Pad (Indicative)
38.78	Finished Surface Design Level
RL 38.78	Finished Pad Design Level

**NOTES**


This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 497 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

Lot 497 contains Easement A on SP292396 for services benefiting Queensland Urban Utilities.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue


**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 497 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 497

Locality of Redbank Plains



LEGEND	
	Area of Cut
	Design Contours
	Zero Lot Boundary
	Proposed Retaining Wall
	Proposed Building Pad (Indicative)
38.78	Finished Surface Design Level
RL 38.78	Finished Pad Design Level

**NOTES**


This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 498 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

Lot 498 contains Easement B on SP292396 for services benefiting Queensland Urban Utilities.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue


**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 498 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 498

Locality of Redbank Plains



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 499 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue


Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 499 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 499

Locality of Redbank Plains



LEGEND	
	Area of Cut
	Design Contours
	Zero Lot Boundary
	Proposed Retaining Wall
	Proposed Building Pad (Indicative)
38.78	Finished Surface Design Level
RL 38.78	Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.


Lot 500 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue



LEGEND	
	Area of Fill
	Area of Cut
	Design Contours
	Zero Lot Boundary
	Proposed Retaining Wall
	Proposed Building Pad (Indicative)
38.78	Finished Surface Design Level
RL 38.78	Finished Pad Design Level

**NOTES**


This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 501 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

No.	by	Date	Description
A	TBG	02/03/17	Original Issue




**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 501 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 501

Locality of Redbank Plains



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 554 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.





No.	by	Date	Description
A	TBG	02/03/17	Original Issue

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 554 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 554



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level

**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 555 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

No.	by	Date	Description
A	TBG	02/03/17	Original Issue



**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 555 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 555

Locality of Redbank Plains



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78** Finished Surface Design Level
- RL 38.78** Finished Pad Design Level

**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 556 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

No.	by	Date	Description
A	TBG	02/03/17	Original Issue



Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 556 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 556

Locality of Redbank Plains



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level

**NOTES**


This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 557 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)


Development Approval has not been granted for Operational Works for the proposed lot.

No.	by	Date	Description
A	TBG	02/03/17	Original Issue



Retaining Wall in Lot 558  
 Max Height : 0.85 m  
 Min Height : 0.85 m  
 Average Height: 0.85 m

Retaining Wall in Lot 858  
 Max Height : 1.2 m  
 Min Height : 0.8 m  
 Average Height: 1.0 m



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level

**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 558 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

No.	by	Date	Description
A	TBG	02/03/17	Original Issue


**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 558 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185


Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 558

Locality of Redbank Plains



Retaining Wall in Lot 858  
 Max Height : 0.75m  
 Min Height : 0.35m  
 Average Height: 0.55m

Retaining Wall in Lot 558  
 Max Height : 0.85 m  
 Min Height : 0.85 m  
 Average Height: 0.85 m



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level

**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 559 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

No.	by	Date	Description
A	TBG	02/03/17	Original Issue


**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 559 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 559

Locality of Redbank Plains



LEGEND	
	Area of Cut
	Design Contours
	Zero Lot Boundary
	Proposed Retaining Wall
	Proposed Building Pad (Indicative)
38.78	Finished Surface Design Level
RL 38.78	Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 560 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue

**saunders havill group**

Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com


■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 560 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 560

Locality of Redbank Plains



LEGEND	
	Area of Cut
	Design Contours
	Zero Lot Boundary
	Proposed Retaining Wall
	Proposed Building Pad (Indicative)
38.78	Finished Surface Design Level
RL 38.78	Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.


Lot 561 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)


Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue



Retaining Wall in Lot 858  
 Max Height : 1.2 m  
 Min Height : 1.2 m  
 Average Height: 1.2 m



**LEGEND**

- Area of Cut
- Design Contours
- Zero Lot Boundary
- Proposed Retaining Wall
- Proposed Building Pad (Indicative)
- 38.78 Finished Surface Design Level
- RL 38.78 Finished Pad Design Level

**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01, 5/02/2017 & 02/03/2017 by ETS Engineering.

Lot 580 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

No.	by	Date	Description
A	TBG	02/03/17	Original Issue


**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.


**Disclosure Plan for Proposed Lot 580 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 580

Locality of Redbank Plains



Retaining Wall in Lot 858  
 Max Height : 1.1m  
 Min Height : 1.1m  
 Average Height: 1.1m



LEGEND	
	Area of Cut
	Design Contours
	Zero Lot Boundary
	Proposed Retaining Wall
	Proposed Building Pad (Indicative)
38.78	Finished Surface Design Level
RL 38.78	Finished Pad Design Level

**NOTES**


This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 581 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.

No.	by	Date	Description
A	TBG	02/03/17	Original Issue



Retaining Wall in Lot 584  
 Max Height : 1.35 m  
 Min Height : 0.30m  
 Average Height: 0.83m

Retaining Wall in Lot 584  
 Max Height : 1.35m  
 Min Height : 0.80m  
 Average Height: 1.08m

LEGEND	
	Area of Cut
	Design Contours
	Zero Lot Boundary
	Proposed Retaining Wall
	Proposed Building Pad (Indicative)
38.78	Finished Surface Design Level
RL 38.78	Finished Pad Design Level


**NOTES**

This plan has been prepared from preliminary survey plan (SP292396) and engineering plans provided on the 16/01 & 15/02/2017 by ETS Engineering.

Lot 584 is restricted to the depth of 15.24 metres below the surface, as defined on the plan M3172.

Development Approval has been granted for Reconfiguration of a Lot for the proposed lot (Application 733/2016/CA)

Development Approval has not been granted for Operational Works for the proposed lot.



No.	by	Date	Description
A	TBG	02/03/17	Original Issue

**saunders havill group**  
 Saunders Havill Group Pty Ltd ABN 24 144 972 949  
 Brisbane • Emerald • Rockhampton  
 head office 9 Thompson St Bowen Hills Q 4006  
 phone 1300 123 SHG web www.saundershavill.com  
 ■ surveying ■ town planning ■ urban design ■ environmental management ■ landscape architecture

This Disclosure Plan is prepared for the sole purpose of satisfying the Disclosure requirements of the Land Sales Act and SHOULD NOT be used for any other purpose, particularly As-constructed purposes. This information is compiled from Design plans only, unless otherwise stated, and therefore is subject to final survey and construction of operational works.

**Disclosure Plan for Proposed Lot 584 (Restricted) on SP292396**  
 Described as part of Lot 855 (Restricted) on SP279417  
 Existing Title Reference: 51016185

Level Datum: AHD der.  
 Origin of Levels: PM161439  
 RL of Origin: 78.888  
 Contour Interval: 0.25m  
 Scale □ A3 1: 250  
 Dwg No. 8353 S 27 DP A 584

Locality of Redbank Plains