

Legend

Stage Boundary

- 0.5m Contours

Mandatory Built to Boundary Wall

Development Statistics

Stage Area

Saleable Area

Single Family Allotments

Residential Allotments

Sub-Total 25m Deep Allotments 30m Deep Allotments

Sub-Total 30m Deep Allotments

Sub-Total 32m Deep Allotments

Total Residential Allotments

Area of New Road

Courtyard Allotment

Traditional Allotment

Courtyard Allotment

Length of New Road

18.0m Wide New Road

22.0m Wide New Road

Total Length of New Road

Total Area of Allotments

Stage 2A

1.256 ha

0.839 ha

0.839 ha

0.417 ha

Lots

Lots

Lots

18

135m

125m

260m

ШШ

Typical Size

14m x 25m

Typical Size

12.5m x 30m

14m x 30m

20m x 30m

Typical Size

12.5m x 32m

14m x 32m

Nominal Built to Boundary Wall

Preferred Driveway Location Preferred Private Open Space Location

Indicative On-Street Parking

Easement

— Indicative Future Allotment Lavout

= 2.5m Shared Pedestrian/Cycle Path ■ 2.0m Shared Pedestrian/Cycle Path*

All Lot Numbers, Dimensions and Areas are approximate only, and are subject to survey and Council approval.

Dimensions have been rounded to the nearest 0.1 metres.

Areas have been rounded down to the nearest 5m²

The boundaries shown on this plan should not be used for final detailed engineers

*2.0m shared pathway provided to the full southern boundary of the river park precinct off which a path network in the open space area will adjoin.

Source Information:
Site boundaries: Wolter Consulting Adjoining information: DCDB Contours: THG

Parking Breakdown

lotai	OII-Street Farking	Spaces Required	9	'
Total	On-Street Parking	Spaces Provided	9	

PLAN OF DEVELOPMENT SETBACKS

	Frontage					Side	Rear	
Height of Wall	Primary			Secondary to street			Non-built to boundary wall	To OMP and wall
	To Wall	To OMP*	To covered car parking space	To Wall	To OMP*	To covered car parking space	To Wall	To OMP* and Wall
Less than 4.5m	Min. 3m	Min. 2m	Min. 5.4m	Min. 2m	Min. 1m	Min. 5.4m	Min. 1m**	As per QDC
4.5m to 8.5m	Min. 3m	Min. 2m	N/A	Min. 2m	Min. 1m	N/A	#Min. 1m**	As per QDC
* OMD includes prohitestural factures such as pieze mulana seven etc.								

includes architectural features such as piers, pylons, eaves, etc

One side must be setback a min. 1.5m to the wall.

Note - This is a qualifiable standard that is an alternative provision to QDC, part MP1.1, A1 (a), (b) and (c), A2 (a), (b) and (d) and part MP1.2, A1 (a), (b) and (c), A2 (a), (b) and (d). Non-compliance with this provision for a Dwelling house requires a concurrence agency response from Council.

9. The building must have a window with an area of at least 1m² or multiple habitable room windows having a combined area of at least 2.5m² that face

7. Each dwelling includes a bin storage area that:

- is not visible from public areas or screened from public areas;

5. Driveway crossovers are located in accordance with this Plan of

6. Driveways do not include a reversing bay, manoeuvring area or visitor

parking space(s) (other than tandem spaces) in the front setback.

- has a minimum area of 1.0m x 2.0m
- if located within the garage, the area must be ventilated;
- if located within the front setback, must be stored in a small enclosure.

Casual Surveillance

Driveways

8. Dwellings generally must address primary frontages with a minimum of a window and either a front door or pedestrian entrance. Dwellings on corner lots may have a front door addressing the secondary frontage but must still address the primary frontage with a window on each level.

10. For corner lots, the Primary Frontage shall be considered the narrow frontage addressing a road.

Built to Boundary Walls

11. Built to boundary walls shall be as per Built to Boundary Walls Residential Uses Table, unless indicated otherwise on this Proposal Plan.

12. Minimum setbacks shall be as per Plan of Development Setbacks Table.

Building Height	Lot Size				
Building Height	300m² or less	301 - 400m²	401 - 500m²	501m² +	
8.5m or less	75%	70%	60%	60%	
•					

SITE COVER

KEY MAP

STAGE 2A

Drive

GARAGE AND CARPORT OPENINGS					
Covered car space opening(s) per street frontage					
	Less Than 12.5m	12.5m to 18m	Greater than 18m		
Single Storey Dwelling	a. maximum 50% of the front frontage width (being the frontage vehicle access is from); and		recessed at least 1.0m behind the main building line		
Additional Requirements for Single Storey Dwelling	b. recessed: i. at least 1.0m behind the r or ii. at least 1.0m behind a fro than 2.0m in front of the m				
Two Storey Dwelling	a. 6.0m wide maximum; and b. recessed 1.0m behind the fr upper level. Editor's note - Front wall is to h of 40% of the adjoining frontag				

BUILT TO BOUNDARY WALLS RESIDENTIAL USES				
Lot frontage width	Mandatory / Optional	Length and Height of Built to Boundary Wall		
More than 7.5m to	Mandatory - one side	Max Length: 60% of the length of the boundary		
12.5m		Max Height: 4.5m		
More than 12.5m to 18m	Optional: i. on 1 boundary only;	Max Length: the lesser of 15m or 60% of the length of the boundary		
	ii. where the built to boundary wall adjoins a lot with a frontage less than 18m.	Max Height: 4.5m		
	Not permitted - Otherwise			
Greater than 18m	Not permitted	Not permitted*		

Note - Max Length includes the length of walls of any other buildings on the same boundary. e.g. detached garage, carport or shed.

Note - For the maximum height of domestic outbuildings refer to the examples that achieve aspects of the performance outcomes for building height and domestic outbuildings.

*Note - Built to boundary walls are not permitted, however, reduced side and rear boundary clearances may be permitted as prescribed

RIVERBANK **STAGE 2A PROPOSAL PLAN**



URBAN DESIGN Level 4 HQ South 520 Wickham Street PO Box 1559 Fortitude Valley QLD 4006 T +61 7 3539 9500



© COPYRIGHT PROTECTS THIS PLAN

PLAN REF: 7025 - 282

easements and/or other underground services

DATE: 30 MARCH 2021 PEET CLIENT: DRAWN BY: JC

CHECKED BY: WNW/DG

Notes:

Cover Table

Car Parking Spaces

Garages and Carports

Openings Table



1. Maximum building location envelopes shown are subject to future proposed

2. Site cover (excluding eaves, sun shading devices, patios, balconies and

3. Minimum of 2 onsite car parking spaces are provided per dwelling.

4. Garage and carport openings shall be as per Garage and Carport

other unenclosed structures) does not exceed that outlined in the Site

^{**} Eaves may encroach to a maximum of 450mm