# Home Design GUIDELINES

# BRABHAM







## CONTENTS

1.	OUR VISION	4
2.	INTRODUCTION & AIM OF GUIDELINES	4
3.	APPROVAL PROCESS OVERVIEW	5
	3.1 Role of Design Guidelines and Design Coordinator	5
	3.2 Purchaser Responsibility	5
	3.3 Approval Process	6
4.	SUBMISSION REQUIREMENTS	7
5.	DESIGN VARIATION	9
6.	SUSTAINABLE DESIGN PRINCIPLES	9
	6.1 WELS Tapware Requirements	9
7.	CHARACTER GUIDELINES	10
	7.1 Signature Element 1 - Colour	11
	7.1.1 Core Colours	11
	7.1.2 Accent Colours	12
	7.2 Signature Element 2 - Materials	13
	7.2.1 Brick	14
	7.3 Signature Element 3 - Patterns	15
8.	DESIGN CHARACTER REQUIREMENTS	16
	8.1 Primary Street Elevation	16
	8.2 Roof Design	17
	8.3 Landmark Lots	18
9.	MISCELLANEOUS	20
	9.1 Car Parking	20
	9.2 Outbuildings	20
	9.3 Developer Works	20
	9.4 Fencing to Front & Secondary Streets	20
	9.4.1 Front Fencing	20
	9.4.2 Dividing Fences	20
	9.5 Retaining Walls	21
	9.6 Streetscapes and Verges	21
	9.7 Letterbox	21
	9.8 Safety and Surveillance	21
	9.9 Service and Ancillary Structures (non-ground & ground)	21
10	LANDSCAPING	22
	10.1 Landscape Palette	23
	10.2 Streetscape & Verge Plant Species	24
	10.3 Front Yard Landscaping Information - Your Garden	25
	10.3.1 Overall Landscape Aesthetic	26
	10.3.2 Swan Valley Garden Example	28
	10.3.3 Waterwise Garden Example	30
_	10.3.4 Native Garden Example	32
11	. APPLICATION CHECKLIST	34

### 1. Our Vision

Brabham's ambition is to set a new standard for connected communities that will enhance the wellbeing of its residents as well as maintain the natural vibrancy of the region.

We want to ensure that Brabham can continue to deliver the lifestyle we know our residents are seeking. To do this, our vision rests on seven key pillars.

#### 1. INNOVATION & SUSTAINABILITY

Product development and investment in market-leading housing options including integrated water solutions and solar panels for homes.

#### 2. CONNECTIVITY

Walking and cycling made easy with an integrated network of future 'green streets' that safely link to parks and the Town Centre, and a short drive to Perth Airport and Swan Valley.

The future Whiteman Park Station, delivered as part of METRONET will also put you within close connection to the Perth CBD.

#### 3. COMMUNITY DEVELOPMENT

We welcome the input of individuals and families at community events and workshops to help shape the future of Brabham.

#### 4. AFFORDABILITY & DIVERSITY

Unique and affordable housing choices ranging from lower maintenance options through to large family sized blocks for growing families.

#### 5. ECONOMIC DEVELOPMENT

Supporting the community with local employment and business opportunities, with free wireless network access in public spaces and NBN network access for all residents

#### 6. ENVIRONMENTAL SUSTAINABILITY

Embracing and promoting sustainability at the individual, local and global scale. Each homesite will be provided with Brabham's Better Life Bonus. In addition, side and rear fencing and front landscaping will be included to complete your home.

#### 7. HERITAGE & HISTORY

Embracing the aviation and car racing history in the theming of street names, name of infrastructure and retention of existing buildings for future community engagement.

#### 8. CULTURAL HISTORY

The Whadjuk Noongar people are the traditional custodians of the land, having inhabited the Swan Coastal Plain for more than 40,000 years. The Noongar people continue to have a strong connection to the land, waters, flora and fauna. We pay respects to Elders, past and present.

### 2. Introduction

These Design Guidelines have been prepared to help you decide on the best possible housing designs for your home. Our aim is to ensure that the overarching vision for Brabham is reflected in the design of every home. Inside these guidelines, you'll find tips to help you and your home reflect our commitment to delivering sustainable outcomes. This document should be read in conjuction with the Live Lighter and Brighter at Brabham booklet, where you'll find design tips to help reduce the running costs within your home through the consideration of orientation, cross ventilation and the use of environmentally sustainable energy sources.

A copy of these Design Guidelines will be provided to all purchasers at Brabham.

Where a Local Development Plan (LDP) has been prepared as part of the estate's planning approval, compliance with the requirements of the LDP must be adhered to. To ensure you have the latest version of any LDP that may be applicable to your lot, please refer to the Brabham website <a href="https://www.brabhamestate.com.au">www.brabhamestate.com.au</a>, or alternatively contact the Sales Team at Brabham.

We suggest you forward a copy to your builder and/or architect, to help your new home get started.

### 3. Approval Process Overview

# 3.1 Role of Design Guidelines and Design Assessment Coordinator

The role of the Design Guidelines is to ensure that every building in the Brabham community fit within, and uphold, the overarching Brabham design principles.

These Design Guidelines provide direction in design excellence and sustainable outcomes as well as ensuring consistency in theming, maintaining a coordinated outcome for the community. By identifying a number of signature design elements which contributes to the character of the development, these guidelines protect your investment by ensuring design quality is delivered for all homes within Brabham.

The Design Guidelines Coordinator, an optional service provided to all purchasers at Brabham, is a professional appointed by Peet to assist you through the design and approval process. Our Design Guidelines Coordinator is ultimately responsible for assessing design compliance of your home, with the Design Guidelines, and providing guidance where necessary.

#### 3.2 Purchaser Responsibility

It's your responsibility as a new purchaser to ensure that your home in Brabham complies with the the Design Guidelines. This ensures consistency in theming and delivers a coordinated outcome for the community.







#### 3.3 Approval Process

All new homes in the Brabham community are subject to approval by the Design Assessment Coordinator, prior to submission of plans for approval to the City of Swan.

Note that the design approval process does not replace the need for a building approval from a certified building assessor and/or the City of Swan.

#### STEP 1



小

#### **Design Your Home**

An optional pre-design meeting, facilitated by your Design Assessment Coordinator to help ensure that your home design meets Brabham design standards.

#### STEP 2

#### **Submit Design Package**

Lodge the plans for your home and all other documents required as per the Design Guidelines for approval at review.brabham@peet.com.au.

Note all documentation is required before the review process will commence.



#### STEP 3.

#### **Design Review**

The plans for your home will be assessed for compliance with the Design Guidelines, ensuring design standards have been maintained.

If approved, proceed to Step 4. If not, resubmit your Design Package for review.



#### STEP 4

#### **Building Permit**

Make an application to the City of Swan for your building permit approval.



#### STEP 5

#### Construction

After receiving a building license, and any other approvals necessary from the City of Swan, you can proceed with the construction of your new home.

## 4. Submission Requirements

To ensure your build goes as smoothly as possible, please ensure that your Brabham design approval package includes the following information. All drawings submitted should be versions of the plans you intend to lodged with Council for a building license.

Applications should be forward to review.brabham@peet.com.au



#### Site Plan

Site Plan shall include the following as a minimum:

- Footprint of your home including the location and dimensions of the Outdoor Living Area (OLA);
- Setback dimensions to all boundaries (where required);
- Build to Boundary (zero setbacks) if applicable;
- Driveway location and width refer to LDP if one applies;
- Site coverage calculations (sqm and %) is to be noted for the ground floor and the OLA and;
- Corner lots or lots with a secondary frontage should show truncations.



#### Floor Plan

Floor Plan shall include the porch or verandah dimensions and depth of covered area where proposed.



#### **Elevations**

- Elevations to all sides of the proposed home.
- Roof Pitch, Type and Colour.
- External wall material and feature colours must be clearly identified where applicable (This applies to all front facades and secondary facades and elevations that are visible from streets, lanes and parks).
- Mortar colours to be lighter and complementary to the brick type chosen.



#### **≈** Tapware

A list demonstrating compliance with the water efficient tapware requirements, see Section 6.1 for further information.



# Fencing and Letterboxes

- Fencing and letterbox design shall integrate with, and complement the façade of your
- The use of similar or complementary materials is required.



#### **Additional Information**

- Please include any swimming pools, air conditioning and heating units, satellite dishes, TV aerials, hot water systems, retaining walls, sheds, meter boxes, water tanks and/or clotheslines.
- With colours or unique materials the Design Assessment Coordinator will require an indicative sample (i.e. not just the specification name).
- Your home may be subject to further design controls depending on its location, outlined in Section 8. Please also refer to the Landmark Lot Plan (Page 18) which highlights these lots.
- All ground mounted services must not be visible from the street or any public spaces. These items include, but are not limited to heating and cooling units, rubbish bins or compost bins, swimming pool equipment, gas bottles, rainwater tanks, clotheslines and sheds.
- A dedicated bin storage area is required behind the front building line of the home and behind the side fence return for traditional lots, and behind the rear fence or within the garage for terrace lots accessed by a laneway.

7



# 6. Sustainable Design Principles

In recognition of our commitments, Brabham has been awarded a 6-star 'Green-Star' accreditation by the Green Building Council of Australia's which is an internationally-recognised sustainability rating system. This means that the community at Brabham will deliver a balance of livability, economic prosperity, environment and innovation outcomes underpinned by governance objectives.

On completion of the Project, Brabham's carbon footprint is anticipated to be 40% lower than a typical land estate. To achieve this we encourage all our Brabham homes to consider a climate-responsive design. For further guidance please refer to the Live Lighter and Brighter at Brabham booklet, which is available at <a href="https://www.brabhamestate.com.au">www.brabhamestate.com.au</a>, or speak to our Sales Team for a copy.

# 6.1 WELS Tapware Requirements

There are lots of little things that we can all do to help save water in our homes, all year round.

Water-efficient tapware is usually comparable in cost to standard types and is an easy and efficient way to reduce household water use.

As such, all homes in Brabham must meet the following Water Efficiency Labelling Scheme (WELS) ratings in accordance with the national Water Efficiency Labelling and Standards Act 2005.

- 4\* WELS tapware to the Kitchen, Laundry and Bathrooms
- · 4\* WELS toilets to all WCs
- · 3\* WELS rated shower rose

# 7. Character Guidelines The purpose of the Brabham Character Guidelines is to define a character that is "inspired by nature" as well as both the Indigenous and Post Colonial heritage of the site. The aim of this document is to support the creation of a "responsive" and local Built Form Character for Brabham. The "Signature Design Elements", contributing to the Character outcome for our residents, are defined in this guide. Similar colours, patterns and materials will be considered subject to approval by Peet. Brabham Design Guidelines Document

# 7.1 Signature Design Element 1: COLOUR

**IVORY HUE** 

HONEY BUTTER

PARCHMENT PAPER | S11C1Q

WHITE DUNE

PARCHMENT PAPER | S11C1H SEED PEARL

ORIGINAL PARCHMENT | S11 C1H

ORIGINAL PARCHMENT

PALE PARCHMENT | S13D2 PARCHMENT PAPER | S11C1 The Colour Palette for Brabham celebrates the warmth and optimism of "Birak", the early Summer season of the Nyungar calendar. The core reference colour for your home is described as a 'touch of warmth', with a range of other accent colours that provide a point of reference and character and reflect our natural surroundings. An example of colours that could be used is provided adjacent.

#### 7.1.1 Core Colours

Core Colours, hint at sun bleached/lime washed yellows & nature based pigments/ochres and Noongar heritage of the early summer season.

Brabham Core Colours should be utilised for walls, frames, roofing, trim and will be reflected in streetscape elements like fencing/letter box pillar render. These colours will match with a range of other colours/situations (from more urban greys, with pops of colour like dark yellow or Brabham dark green) and natural materials (i.e. natural timber or Limestone, rubble walls etc). Lower percentage tints of the core colours are permitted.





The secondary Accent Colours including black can be used for window frames and trims, as well as to provide a contemporary touch & allows for a

Accent Colours such as the blue grey and green









7.1.2 Accent Colours

grey options respond to the Brabham Landscape Palette which reflects the local landscape.

In order to foster diversity and innovation, variations to these style element themes will be considered providing they reinforce a Brabham Character outcome for the whole streetscape and subject to Peet/Design Assessment Coordinator's approval. Lower percentage tints or alternate Accent Colours are permitted subject to review and a colour sample being provided upon request.











WARM SUNSET

HONEYDEW

CERULEAN TEAL

WARM AEGEAN

BRABHAM PRIMARY GREEN

BRABHAM PRIMARY DARK GREEN



The built form character will reference the Signature Design Elements in a contemporary manner using natural products including timber, brick and stone. The configuration of these elements will be considered in order to deliver a coordinated outcome including the home, letterbox, front landscaping and any fencing proposed.

7.2 Signature Design Element 2: MATERIALS


Natural timber elements or similar that are included in the design of the home should reference lighter colours (ie Cedar or similar). The use of "hit and miss" timber battens can be used to create light and shade, whilst delivering a more contemporary look.

Darker coloured timber is permitted (subject to approval) if contributing to the Brabham Character Guidelines.









13



OBSIDIAN GREEN

















NEDLANDS GREY **NOUVEAU GREY** 

#### 7.2.1 Brick

Brick elements "or similar" which reference the resource materials sourced from the nearby Swan Valley shall be traditional in appearance and delivered in a fresh and contemporary manner. This could include the type of configuration of the bricks/ blocks (i.e stacked bond) for a fresh urban outcome.

The interpretation, adaptation and re-use of these materials in a quirky, Modern Vintage style is encouraged. This may include a window lintel or a focal panel of brick pattern or a window box, etc.

Recycled bricks are encouraged, as well as rendered or bagged/painted brickwork, rammed earth, along with other cladding materials (as long as they are delivered in the signature Brabham colours).

Taller course/etched faced, close textured masonry block work may also be used to provide diversity and interest or be used as a substitute for natural stone.

Dark coloured bricks & other similar materials should not be the predominant element in the facade or streetscape and alternatives to this approach will only be considered in conjunction with other ancillary treatments (e.g. Verandah cover in light/Lime wash colours; Box Frame projection in white; etc). The delivery of predominantly dark colours to the façade or streetscape will be subject to approval from Peet.

# 7.3 Signature Design Element 3: PATTERNS









Patterns exist all around in nature and can be interpreted in a number of different ways through the built form.

Fauna & insects are fundamental to the sustainable functioning of our natural environment and the hexagon pattern, inspired by beehives & structures in nature, celebrate these structures and patterns.

Other patterns, such as the interlocking circles or herringbone layouts, directly reference the motorsport and other "vintage" aspects of the localities heritage. The Brabham patterns can be utilized horizontally in paving or vertically in laser cut screens, brick pattern inserts or painted wall panels.

Shadows and patterns are a fundamental part the design philosophy in our climate & early summer theme. Shade and the shadow cast by trees/ verandas/awnings/patterned screens are an outcome that is encouraged.

The effect of shade and shadows through the dappled light and leafy shadows are a characteristic to Brabham.

Examples of inspiration for patterns and the use of patterns is shown as follows:





# 8. Design Character Requirements

This section describes the mandatory requirements will ensure the dwelling reflects the local built form character desired at Brabham.

#### 8.1 Primary Street Elevation

In order to maintain and enhance the streetscape of your street, your home will incorporate the following elements on the primary street elevation.

- · At least two Signature Design Elements as defined in Section 7, excluding accent colours.
- If face brick is chosen, the bricks are to be similar in colour, shape and style to those shown in the Brabham Brick Palette, (page 13).




8.2 Roof Design

The roof design can be interpreted in a number of ways to reflect the industrial/urban Brabham character through traditional shapes including but not limited to hipped, skillion, concealed or flat designs. Other shapes can be considered subject to approval from Peet.


If tiles are proposed to be used they must be of a flat profile, and will be subject to approval from Peet. Lightweight industrial materials and forms/techniques (e.g. exposed trusses, etc.) which reinforce and reflect the site's aviation and motorsport history, will also be considered

In response to the requirements of Green Star, colours available for use must be selected from the following:

#### 15 DEGREE ROOF AND ABOVE



#### SKILLION ROOFS LESS THAN 15 DEGREES



Colours shown are indicative only. Please refer to the manufacturer's product samples prior to selecting for an accurate colour representation. Alternative roof colours are permitted (subject to approval) if contributing to the Brabham Character Guidelines.



#### 8.3 Landmark Lots

All homes in key locations within the neighbourhood require particular care and design consideration. These are generally located on corner lots, and prominent locations around parks or in entries into the neighbourhood. Please refer to the Stage 1 Landmark Lot plan on page 18.

The Primary Street Elevation on these lots must incorporate all three of the Signature Design Elements as defined in Section 7, being Colour, Materials and Patterns.

Furthermore, homes on corner lots shall address both street frontages and include at least one major opening from a habitable room with a clear view of the secondary street and must not be obscured by fencing.

In order to improve the secondary street streetscape presentation and minimise blank facades, any feature material which is on the primary frontage of the home (i.e. face brick/render/cladding) must continue to the secondary street frontage where visible from the street (i.e. in front of the side fence).

Fencing on corner lots must finish (and return to the building where required) to the point at which the primary street frontage feature extends to the secondary street.

This could include one of the Brabham Signature Design Elements including but not limited to patterned, laser cut panels or similar.

If no feature is extended to the secondary street a side fence on a secondary street is not permitted within 6.5m of the primary street boundary of that lot.

The location of meter boxes and other service infrastructure should be located on the side elevation of corner lots and not on the secondary street elevation. Zero lot walls are exempt from this requirement.



00008



### 9. Miscellaneous

#### 9.1 Car Parking

To maintain the Brabham community signature look and feel, the on-site parking of caravans, campers, camp trailers, boats or commercial vehicles must be screened from the street or public space behind the front building line.

Any on-street car parking provided by the developer is intended for visitors only.

The long term parking of residents' vehicles is not permitted in the on-street parking. This includes the parking of recreational vehicles, caravans, campers, camp trailers, boats or commercial vehicle.

#### 9.2 Outbuildings

Unfinished metal sheds of any size are not permitted.

#### 9.3 Developer Works

- Where the developer has constructed an entry statement, retaining wall or fence, it is to be maintained by the owner to the standard to which it was constructed by the developer.
- All fencing which abuts the fencing provided by the developer must taper for the final 3 metres to meet the height of the developer fencing.
- ThedevelopmentwillbepartoftheNBNfibrenetwork.
   Please ensure the house designs accommodate this service, with appropriate consideration given to the location of the NBN box within your home.

# 9.4 Fencing to Front & Secondary Streets

Any front fencing or fencing on the secondary street is considered to be part of the frontage of your home and must match the materials and style of the home.

#### 9.4.1 Front Fencing

- If you are intending on constructing a front fence, it will need to be displayed on your site plan at the time of plan submission.
- Only low height fencing elements are permitted forward of the building line.

#### 9.4.2 Dividing Fences

Colourbond fencing will be Surfmist to a maximum height of 1.8m.

#### 9.5 Retaining Walls

Any modifications to existing retaining walls must be approved by the Developer and must be constructed in the same materials and colours of existing walls.

Pre-cast concrete "panel and post" retaining walls are not permitted.

#### 9.6 Streetscapes and Verges

- Residents are required to maintain any verge that is adjacent to their lot. This includes the verge on the primary street as well as the secondary street interface for corner lots.
- Where a footpath is located at the front or side of your lot, the verge between the footpath and the road is included in your maintenance responsibilities.

#### 9.7 Letterbox

- Letterbox materials should match or complement the materials used on the front façade of the home.
- The removal of a letterbox provided to your lot as part of the estate is not permitted.
- · Letterboxes on single poles are not permitted.

#### 9.8 Safety and Surveillance

In order to maintain an appropriate level of natural safety and surveillance at Brabham the following must be achieved:

 The front door of your home must be visible from the street, or park (where relevant);

- A habitable room must be located at the front of the home to encourage passive surveillance of the street or park (where relevant) and;
- Diamond security screens are not permitted on areas of the home visible to the street.

#### 9.9 Service and Ancillary Structures (non-ground and ground)

- All roof mounted items must not be visible from the street or any public spaces. These items include, but are not limited to air conditioning units, heating units, satellite dishes, TV aerials and hot water systems.
- Photo-voltaic panels shall not be obtrusive when viewed from the street and are to be located to protect the visual amenity of surrounding properties.
- All ground mounted services must not be visible from the street or any public spaces. These items include, but are not limited to heating and cooling units, rubbish bins or compost bins, swimming pool equipment, gas bottles, rainwater tanks, clotheslines and sheds.
- A dedicated bin storage area is required behind the front building line of the home and behind the side fence return for traditional lots, and behind rear fence or within the garage for terrace lots accessed by a lane way.





#### 10.1 Landscape Palette

The Landscaping Palette (for front landscaping) is also reflective of the Brabham Core and Accent colours and materials, which are to be considered in the context of the building selections.

The streetscape and verge plant species should be utilised for the verge portion of the front landscaping, with the plant species also being encouraged within the lot boundary.

Alternate species with similar characteristics will be considered, and subject to approval by Peet.

Irrigated turf is also permissible within both the lot boundary and verge areas.

#### **DRIVEWAYS & PAVING**



HOLCIM 'WANDOO' EXPOSED AGGREGATE



HOLCIM 'WATTLE' EXPOSED AGGREGATE



URBAN STONE 'RIVERE TOPAZ' UNIT PAVERS



CONCRETE WITH CCS OXIDE 'CANVAS'

#### FRONT YARD HARD TREATMENTS



FREEFORM SLAB PAVERS IN GRAVELS



GRAVELS WITH MIX OF PEA AND LIMESTONE



CONCRETE BANDING IN GRAVELS



SUMMERSTONE FINES GRAVEL



MILLBOARD COMPOSITE DECKING 'WEATHERED OAK DRIFTWOOD




MILLBOARD COMPOSITE DECKING 'WEATHERED OAK VINTAGE

#### **LOW WALLING**



RAMMED LIMESTONE



TUMBLED AND TEXTURED BRICK AND TIMBER



RENDER IN LIGHT WARM TONES



RECLAIMED BRICK

#### 10.2 Streetscape & Verge Plant Species

#### **GROUNDCOVER SPECIES:**



ACACIA COGNATA LIMELIGHT



CONOSTYLIS CANDICANS



GAZANIA 'YELLOW FLOWERING'



CALOTHAMNUS QUADRIFIDUS 'LITTLE RIPPER'

#### SHRUB SPECIES



ANIGOZANTHOS & SENECIO SERPENS



ANIGOZANTHOS YELLOW





DIANELLA REVOLUTA



LOMANDRA LIME TUFF





BANKSIA SPINULOSA 'BIRTHDAY CANDLES'

#### **SCREEN SPECIES**



GREVILLEA LEMON SUPREME



MELALEUCA HUEGELII



HIBISCUS TILIACEUS



PITTOSPORUM SCREENMASTER

#### 10.3 Front Yard Landscaping Information - Your Garden

The front landscaping packages are provided by the Developer which includes the following:

- Native and waterwise exotic species to reduce the use of non-potable water and irrigation run times;
- Soil conditioner and wetting agent to ensure the best soil preparation is provided for new planting to retain moisture in the soil and nutrients for new plants;
- Mulch to insulate the soil and prevent weed growth
- Irrigation with a control system that can automatically adjust seasonally to reduce unnecessary water use.

The trees and plants listed in this document have been selected due to their suitability to the site and to match into the overall estates aesthetic. To maintain an overall estate style that is both appealing and sustainable, your front garden should include plants specified in this document. The preference is that your front garden has a mixture of plant species providing variation in seasonal colour, texture and size.

Planting edible species and waterwise plants is encouraged as well as planting multiple trees to provide shade. Planting trees, shrubs and bushes alongside your home helps reduce heat absorption and helps shade your home from the sun. This is a very simple approach that has great sustainability outcomes to your home and streetscape.

Landscaping near lot boundaries is encouraged to achieve additional privacy and shading to your property. Please note that artificial turf is not included within the front yard package provided by the developer. Artificial turf at the front of your property may be considered in small areas only and is subject to developer approval.

After initial installation of your front yard package all garden beds shall be maintained by the home owner with the following recommendations:

- Your front garden includes your verge area and this should be maintained to the same standard as your front and rear gardens;
- Check and adjust your irrigation system to ensure it complies with seasonal changes to watering restrictions;
- Prune any trees or bushes that overhang footpaths or driveways;
- Regular mowing of lawn;
- Garden beds must be topped up with mulch on an annual basis and;
- Remove weeds, leaf litter, rubbish and green waste to keep your area well presented.







25

#### 10.3.1 Overall Landscape Aesthetic

#### **KEY FEATURES**

- $\cdot$  Variety in soft landscape texture plus year round colour through seasonal flowering
- $\cdot$  Waterwise and environmentally sustainable and friendly, plus easy to maintain
- · Edible or attractive to native fauna and insects
- · Multi-layered providing streetscape interest and high level of presentation
- $\cdot$  Promote natural shade with multiple tree plantings
- $\cdot$  Promote sense of resident pride in the front presentation of their property










#### 10.3.2 Swan Valley Garden Example



#### **KEY FEATURES**

- · A formal garden aesthetic achieved through a geometric and ordered layout.
- · Features structured rows of single plant species with strategically placed architectural feature plants.
- · Focus on contrasting foliage and form with usually minimal use of brightly coloured flowering plants.
- · Can incorporate a simple lawn area with smaller ornamental shade trees.
- $\cdot$  Hedging or planted screening adds further formality.

#### **PLANTING PALETTE**

#### ${\bf Ground covers}$

Myoporum parvifolium 'Yareena' Trachelospermum asiaticum 'Flat Mat'

#### Shrubs


Acmena smithii 'Allyn Magic' Anigozanthos 'Bush Pearl' Callistemon citrinus 'Red Rocket' Hardenbergia violacea 'Mini Meema' Hemerocallis 'Stella Bella' 'Spanish Lavender' Lavandula pedunculata Raphiolepis indica 'Oriental Pearl' Viburnum odoratissimum 'Dense Fence' Westringea fruiticosa 'Aussie Box'

#### Trees

Largerstroemia indica 'Crepe Myrtle White'
Magnolia grandifolia 'Kay Parris'
Olea europaea 'Tolley's Upright'
Pyrus calleryana 'Chanticleer'



#### 10.3.3 Waterwise Garden Example



#### **KEY FEATURES**

- Traditional garden style using textured and coloured foliage and flowering plants to provide year-round colour
- Can be a formal style garden or a more 'organic' layout with shrubs planted in mixes throughout the garden
- · Often includes edible plants, fruit trees and cut flower species
- · Plant species selected to attract insects and butterflies to the garden
- Does not necessarily incorporate lawn space, instead maximises the garden area but lawn can be included for larger lots

#### **PLANTING PALETTE**

#### ${\bf Ground covers}$

Thymus vulgaris

Brachyscome 'Jumbo Purple'
Orginum vulgare 'Oregano'
Romarinus officinalis prostratus 'Creeping rosemary'
Salvia officinalis 'Sage'
Scaevola albida 'Mauve Carpet'

'Thyme'

#### Shrubs

Citrus aurantifolia 'Sublime'
Lavandula angustifolia 'English Lavender'
Rosmarinus Officinalis 'Benenden Blue'
Westringia 'Grey Box'

#### Trees

Citrus limon 'Eureka Lemon'
Citrus sinensis 'Navel Orange'
Laurus nobilis 'Bay Tree'
Olea europaea 'Olive'
Prunus dulcis 'Almond Tree'










31







#### 10.3.4 Native Garden Example



#### **KEY FEATURES**

- This design displays native plants in an either formal or informal mixed species layout
- A low maintenance garden style which will display a progressive flower bloom all year with striking plant textures and colours
- · Can attract native birds and other wildlife to your garden
- · Can incorporate an informal lawn or gravel area
- · A grass tree transplant can be included to add an architectural feature to your garden

#### **PLANTING PALETTE**

#### ${\bf Ground covers}$

Casuarina glauca 'Cousin It'
Eremophila glabra 'Kalbarri Carpet'
Grevillea 'Red Coral'

#### Shrubs

Anigozanthos 'Yellow Gem'
Anigozanthos 'Red Velvet'
Banksia spinulosa 'Birthday Candles'
Eremophila nivea 'Spring Mist'
Grevillea 'Superb'
Leucophyta brownii 'Silver Nugget'

#### Trees

Angophora costata 'Smooth Bark Apple'
Banksia integrifolia 'Coast Banksia'
Cupaniopsis anacardioides 'Tuckeroo'
Eucalyptus victrix 'Snow Queen'
Xanthorrhoea preissii 'Grass Tree'



















33


# 11. Application Checklist

#### **Brabham Design Guidelines Lot Application Form**

This section is to be fill	led in by the Applic	ant and accomp	any your Design App	oroval package		
submitted to <u>review.br</u>	rabham@peet.com	.au				
Address:						
Applicant Name						
Discuss Nicosales an						
Phone Number						
Email Address						
Drawing Reference						
Submission R	Requirement	ts				
Site Plan						
	, ,					
Floor Plan(	(s)					
Elevations						
Fencing an	nd Letterboxes					
Additional	Information					
All Submission Requirement	ts are to be checked wit	h a ' _ 'before the o	design will be assessed.			
Non-Conform (to be completed for design			guidelines)			
List measures taken to ensu	ure that standards are b	eing upheld or imp	roved.			
List measures taken to ensu	ure that standards are b	eing upheld or imp	roved.			
Where colour selection or ma	aterials differ from pre-ar	oproved palette, plea	ase provide samples or imag	ges for assessment		
SUBMITTED BY:						
PRINT NAME:				DATE:	/	/
PHONE NUMBER:				I		

Sustainable Design R	equirement - Tapware	Outbuildings			
Specification list demonstration	ng a minimum rating of:	Sheds must be located behind the dwelling and screened from the			
4*WELS tapware to the kit	tchen, laundry and bathrooms	primary street			
4*WELS toilets to all WC		Developer Works			
3*WELS rated shower rose	9	Any modification to the exiting retaining walls must be approved by the			
Design Character Rec	quirements	Developer and must be constructed in the same materials and colours of existing walls.			
Primary Street Elevation St At least two Signature Des excluding accent colours	tandard Lot <u>sign Elements</u> as defined in Section 7,	Fencing			
or		Fencing on corner lots must finish (and return to the building where required) to the point at which the primary street frontage feature			
Landmark Lot Primary Stre Must incorporate all <u>three</u> Section 7 - Colour, Materia	Signature Design Elements as defined in	extends to the secondary street. If no feature is extended to the secondary street a side fence on a secondary street is not permitted within 6.5m of the primary street boundary of that lot.			
Signature Design I	Element 1 - Colours	Any fencing abutting developer provided fencing must taper for the final 3m to meet the height of the developer provided fence.			
		Only low height fencing elements are permitted forward of the fence line.			
Walls:		Proposed primary street fence height: metres			
Frames:		NOMINATED MATERIALS AND FINISH:			
Trim:					
Gutter:		Description of the set			
Facia:		Proposed primary street fence height: metres  Letterbox material height meters			
Fencing:					
Roofs 15° or more:		Safety and Surveillance			
Skillion Roofs 15° or less:		Front door must be visible from the street, or park where relevant.			
		A habitable room must be located at the front of the home to encourage passive surveillance of the street or park where relevant.			
☐ Signature Design I	Element 2 - Materials	Diamond security screens are not permitted where visible to the street.			
Nominate the product and loca	ation (walls, feature, etc.)				
Timber Product and Location		Services and Ancillary Strutures			
Brick Name and Supplier		Roof mounted and ground services items must not be visible from the street or any public spaces.			
to those shown in the Brabham bricks are not permitted to ext	cks are to be similar in colour, shape and style in Brick Palette. Note that Florentine Limestone end more than 20% of the wall area.	Nominate a dedicated bin storage area behind the front building line and behind the side fence return for traditional lots, and behind the rear fence or within the garage for terrace lots accessed by a laneway			
_	Florentine Limestone if applicable  Element 3 - Patterns	Official Use Only			
	Element 5 - Patterns	Notes:			
NOMINATED PRODUCTS		Note variations accepted and explanation of items not approved above for			
LOCATION:		the applicant to review and resubmit			
least one major oprning fr	I address both street frontages and include at rom a habitable room with a clear view of the toot be obscured by fencing.				
_	tes and other service infrastructure should be on and not on the secondary elevation.				
Feature material on the p secondary street frontage	orimary street elevation must continue to the where visible from the street (i.e. in front of	APPROVED			
the side fence).  Verandah depth	metres.	The plans for your home have been approved in accordance with the Brabham			
	ilar is proposed, a minimum depth of 1.5m is	Home Design Guidelines. An application to the City of Swan for a building permit may proceed.			
Roofs		SIGNATURE:			
Roof pitch is above 15°	COLOUR:	DATE:			
Roof pitch is 15° or less	COLOUR:	ON BEHALF OF PEET LIMITED:			





#### Sales and Information Centre

53 Propeller Avenue Renee Monteleone: 0438 387 449

# Stay Connected on Facebook @BrabhamEstate

brabhamestate.com.au



