CLE Town Planning + Design





LOCAL DEVELOPMENT PLAN PROVISIONS

- consultation with the adjoining landowners.
- Codes (R-Codes) apply.

This Local Development Plan	
deemed provisions of Town Pl	anning Scheme No
Can	(
Manager Approval Services	()
City of Wanneroo	

	Street Setback	Lot Boundary Setback	Open Space / Outdoor Living Areas	Garage Setback	Overshadowing	Privacy	Lot
BAD	Dwelling 2.0m minimum (no average) setback from the primary street to the dwelling. <u>Verandah/Porch</u> 1.0m minimum setback (no maximum length) from the primary street.	Boundary Walls Boundary walls with a wall height of 3.5m or less are permitted behind the front setback line, to both side boundaries (excluding a secondary street boundary) subject to: • No maximum length to one side boundary; and • A maximum of 2/3 the length of the balance of the lot boundary behind the front setback to a second boundary.	 Minimum 35% open space subject to a 24m² outdoor living area being provided, located on the northerm or easternmost boundary. At least one third of outdoor living area must be uncovered. 	Front Loaded For front loaded lots with a frontage between 10 and 12m, a double garage is permitted to a maximum width of 6.0m as viewed from the street subject to: • Garage setback a minimum of 1.0m behind the building alignment; and • Provision of an entry feature consisting of a porch or verandah with a minimum depth of 1.2m.	Single Storey There is no limitation on the amount of shadow cast at midday 21 June onto any adjoining property. <u>Two Storey</u> For walls with a wall height greater than 3.5m, there is no limitation on the amount of shadow cast at midday 21 June onto any adjoining property where overshadowing is confined to the front 50% of the lot. Overshadowing that projects into the rear 50% of the lot is not to exceed 35% (as determined as a percentage of the rear 50% of the lot area).	As per R-Codes.	Buildir gs/Dwelli Buildings/dw minimum of Provision of a major oper Visually per facing the P4 All clothes systems sha dwelling ar whare scre- dwelling s/Dwelli Buildings/Dwelli Buildings/Dwelli Buildings/Dwelli Buildings/Dwelli Buildings/dw minimum of (no boundar)). Fencing alon setoack area 1.2m. All clothes systems sha dwelling asi whare screed dwelling desi
R60	Dwelling 2.0m minimum (no average) setback from the primary street to the dwelling. <u>Verandah/Porch</u> 1.0m minimum setback (no maximum length) from the primary street.	Boundary Walls Boundary walls with a wall height of 3.5m or less are permitted behind the front setback line, to both side boundaries (excluding secondary street boundaries) with no maximum length.	 Minimum 25% open space subject to a 20m² outdoor living area being provided, located on the northerm or easternmost boundary. At least one third of outdoor living area must be uncovered. Minimum outdoor living area dimension of 3.5m to one axis only, on lots 8.5m or less in width. 	Rear Loaded	There is no limitation on the amount of shadow cast at midday 21 June onto any adjoining property.	 For major openings and unenclosed outdoor active habitable spaces which have a floor level of more than 0.5m above natural ground level, visual privacy provisions are as follows: 3.0m minimum privacy setback to bedrooms and studies. 4.5m minimum privacy setback to all other major openings (including balconies or similar). 	



And the Annual State of th	ong ing one of the second	Topol and Topol		en terp
		LOC	ATION	PLAN

a) The following standards are deemed to meet the relevant Design Principles of the R-Codes and do not require b) Unless provided for below, the provisions of District Planning Scheme No. 2 (DPS 2) and the Residential Design

y Counc	il under cla	use 52	(1)(a) of the
		1	
	15	17	12019
	Da	te	

ots Adjoining POS	Building Height
wellings on lots fronting POS (*) wellings are to be setback a of 1.0m from the POS boundary. to a fat least one habitable room with opening facing the POS boundary. permeable fencing to be provided a POS boundary. tes drying areas and hot water shall not be located between the is and the POS boundary (except creened and integrated into the design. wellings on lots siding POS (#) Adwellings are to be setback a of 1.0m from the POS boundary dary walls permitted along the POS). along the POS boundary in the front area to be visually permeable above the shall not be located between the is and the POS boundary (except creened and integrated into the design.	As per Table 3, Category B of the R-Codes: • Top of external wall (roof above) - 6m • Top of External wall (concealed roof) - 7m • Top of pitched roof - 9m

LOCAL DEVELOPMENT PLAN No.20

Shorehaven Boulevard, Alkimos